



2025 EDITION

BARDAHL

ENGINE
OIL
CAR

XTR 39.67 - XTC C60 - TECHNOS - XTA

BARDAHL REVOLUTION

New formulations, new product lines and a modern design.



RACING & SPORT LINE

Lubricants designed for motorsport professionals and sports car enthusiasts, engineered to withstand extreme conditions.

XTR 39.67 / XTC C60

PREMIUM LINE

A distillation of Bardahl's best technologies. The premium line is crafted for those who demand performance and protection.

TECHNOS / XTA

MLAB

MADE BY THE
MAROIL-BARDAHL ITALIA
LABORATORY

WE DON'T JUST MAKE PRODUCTS, WE DELIVER EXCELLENCE.

Since its foundation in 1973, Maroil – Bardahl Italia has pushed the boundaries of performance, creating lubricants and additives that deliver not only high performance but also protection and reliability.

For over 50 years, we've poured all our experience and passion into producing Bardahl's top-of-the-line lubricants.

At our MLAB laboratory in Altopascio, we develop advanced chemical formulations and technologies that allow us to offer certified products that are proudly Made in Italy.

A level of quality that sets us apart – and today, puts us on every roads and tracks around the world.



POLAR PLUS

Polar molecules act like micro-magnets, forming an extremely durable lubricating barrier.

- ✓ Maximum protection against wear and corrosion
- ✓ Exceptional resistance of the lubricating film
- ✓ Maximum anti-seizure protection
- ✓ Dual-level protection for maximum effectiveness



FULLERENE C60

Molecules position themselves between the engine's metal surfaces, creating an anti-friction protective layer.

- ✓ Micro sphere bearings for total protection
- ✓ Outstanding anti-friction and anti-wear properties
- ✓ Unlocks the engine's full potential
- ✓ Long-lasting performance over time



RADIAL POLYMER

Avoids the natural degradation of lubricant performance, preserving the fluid's original capabilities over time.

- ✓ Greater shear resistance of the lubricating film
- ✓ Excellent performance even at low temperatures
- ✓ Maximum protection and efficiency of all components
- ✓ Enhanced transmission performance



ESTER & PAO BASE

The combination of PAO, esters, and synthetic bases gives the formulations superior performance.

- ✓ Increased lubricating power
- ✓ Better fluidity at low temperatures
- ✓ High oil viscosity even at extreme temperatures
- ✓ Top performance in the harshest conditions

RACING & SPORT LINE

XTR 39.67

DEVELOPED FOR RACING
TEAMS AND ENGINE BUILDERS

Engineered for motorsport professionals. XTR 39.67 is the ultimate racing lubricant, designed to withstand the extreme conditions of the track. Its exclusive formula ensures:

- Maximum power with up to 60% friction reduction*
- Constant lubrication even beyond 200°C
- Exclusive market-leading technology for uncompromising race-level performance

*compared to a standard lubricant

Beyond Industry Standards

COD: 20306	XTR 39.67	SAE 5W-50
------------	-----------	-----------

COD: 20327	XTR 39.67	SAE 10W-60
------------	-----------	------------



POLAR PLUS
FORMULA



FULLERENE
FORMULA



100% ESTER &
PAO BASE

RACING
PERFORMANCE

XTC C60

TESTED ON TRACK,
READY FOR THE ROAD

Designed for enthusiasts of tuned, high-performance sports cars. XTC C60 offers the perfect balance between high performance and reliability – ideal for meeting track challenges and ensuring superior protection on the road.

- Sport-level performance beyond any standard
- Minimizes viscosity loss
- Maintains oil stability under extreme conditions

Beyond Industry Standards

COD: 20435	XTC C60	SAE 5W-40
------------	---------	-----------

COD: 20338	XTC C60	SAE 10W-50
------------	---------	------------

COD: 20324	XTC C60	SAE 15W-50
------------	---------	------------

COD: 20441	XTC C60	SAE 10W-60
------------	---------	------------



POLAR PLUS
FORMULA



FULLERENE
FORMULA

WITH
ESTER &
PAO BASE

SPORT
PERFORMANCE

PREMIUM LINE

TECHNOS

The Technos range is the pinnacle of Bardahl innovation, created for those who demand uncompromising quality. It meets manufacturer performance standards and is divided into: Technos XFS and Technos XVS.



TECHNOS XFS EXTRA FLUID SHIELD

Advanced friction reduction and wear protection for optimal efficiency.

- Maximizes performance and fuel economy
- Protects particulate filters and catalytic converters
- Keeps the engine clean for long-lasting peak condition



POLAR PLUS
FORMULA



FULLERENE
FORMULA

COD: 20312 TECHNOS XFS PC2010 SAE 0W-20	PERFORMANCE LEVEL ACEA C5, API SP, PSA B71 2010	COD: 20365 TECHNOS XFS AV508 SAE 0W-20	PERFORMANCE LEVEL ACEA C5, C6 API SN Plus / SP / SP RC, ILSAC GF-6A VW 508.00 / 509.00 / TL 52577, Porsche C20
COD: 20366 TECHNOS XFS V2AE SAE 0W-20	PERFORMANCE LEVEL ACEA C5, API SP, Volvo VCC RBSO-2AE	COD: 20364 TECHNOS XFS R17 FE SAE 0W-20	PERFORMANCE LEVEL ACEA C5, Renault RN17 FE
COD: 20395 TECHNOS XFS C6 SAE 0W-20	PERFORMANCE LEVEL ACEA C5, C6, API SP / SP RC / SQ, ILSAC GF-6A / 7A BMW LL-14 FE+ / BMW LL-17 FE+, MB 229.71 / 229.72 Opel OV 040 1547 A20, Jaguar JLR 03.5006 Ford WSS-M2C 947-B1 / 954-A1 / 962-A1 Suitable for use: FIAT 9.55535-GSX, Chrysler MS-12145	COD: 20367 TECHNOS XFS F950A SAE 0W-30	PERFORMANCE LEVEL ACEA C2, Ford WSS-M2C 950-A Jaguar JLR.03.5007 Suitable for use: Fiat 9.55535-GS1 / DS1
COD: 20368 TECHNOS XFS PC2312 SAE 0W-30	PERFORMANCE LEVEL ACEA C2, PSA B71 2312	COD: 20369 TECHNOS XFS AV504 SAE 0W-30	PERFORMANCE LEVEL ACEA C3, VW 504.00 / 507.00 / TL 52545 Porsche C30, BMW LL-04 MB 229.31 / 229.51 / 229.52
COD: 20342 TECHNOS XFS C2-C3 SAE 5W-30	PERFORMANCE LEVEL ACEA C2, C3 API SN Plus / SP / SP RC, ILSAC GF-6A MB 229.31 / 229.51 / 229.52, BMW LL-04 GM Dexos 2, Opel OV 040 1547 D30 / G30 Renault RN0700 / RN0710	COD: 20308 TECHNOS XFS AV504 SAE 5W-30	PERFORMANCE LEVEL ACEA C3, API SN, BMW LL-04 VW 504.00 / 507.00 / TL 52195, Porsche C30 MB 229.31 / 229.51

TECHNOS



TECHNOS XVS EXTRA VISCOSITY SHIELD

Greater viscosity stability, excellent engine cleanliness, and superior longevity.

- Stability and sport performance for high-power engines
- Maximizes protection and performance
- Keeps the engine efficient for longer



POLAR PLUS
FORMULA



FULLERENE
FORMULA

COD: 20329

**TECHNOS XVS
C3**
SAE 0W-40

PERFORMANCE LEVEL

ACEA C3, API SP
MB 229.31 / 229.51 / 229.52
Renault RN0700 / RN0710

COD: 20431

TECHNOS XVS
SAE 0W-40

PERFORMANCE LEVEL

ACEA A3/B4, API SN, MB 229.3 / 226.5
VW 502.00 / 505.00, Porsche A40
Renault RN0700 / RN0710
Ford WSS-M2C 937-A

COD: 20350

**TECHNOS XVS
C3**
SAE 5W-40

PERFORMANCE LEVEL

ACEA C3, API SN / CF, MB 229.31 / 229.51 / 229.52
BMW LL-04, VW 511.00
Porsche C40, Renault RN0700 / RN0710, GM Dexos 2
Opel OV 040 1547 D40

COD: 20458

TECHNOS XVS
SAE 5W-40

PERFORMANCE LEVEL

ACEA A3/B4, SP
MB 229.3 / 229.5 / 226.5, BMW LL-01
VW 502.00 / 505.00, Porsche A40
Renault RN0700 / RN0710, PSA B71 2296

COD: 20462

**TECHNOS XVS
C3**
SAE 10W-50

PERFORMANCE LEVEL

ACEA C3
Suitable for use: Abarth 0101

COD: 20459

TECHNOS XVS
SAE 10W-40

PERFORMANCE LEVEL

ACEA A3/B4, API SN/CF
MB 229.3 / 226.5
VW 501.01 / 505.00
Renault RN0700 / RN0710

PREMIUM LINE

XTA

Created for those who seek a reliable, high-performance lubricant, XTA reduces friction, protects components, and enhances engine efficiency.



XTA

PERFORMANCE & PROTECTION

Thanks to Polar Plus technology, it offers:

- Superior protection against wear and corrosion
- Greater engine longevity and cleanliness
- Uncompromising reliability for everyday use



POLAR PLUS
FORMULA

COD: 20454

XTA EC0948
SAE 5W-20

PERFORMANCE LEVEL

ACEA C5, API SN / SN RC / CF, ILSAC GF-5
Ford WSS-M2C 948-A / 948-B
Jaguar JLR 03.5004

COD: 20456

XTA R17
SAE 5W-30

PERFORMANCE LEVEL

ACEA C2, C3
API SP, MB 229.31 / 229.51 / 229.52 / 226.52
Renault RN17 / RN0700 / RN0710, PSA B71 2290

COD: 20455

XTA EC0913
SAE 5W-30

PERFORMANCE LEVEL

ACEA A5/B5, API SP, Renault RN0700
Ford WSS-M2C 913-C / 913-D
Jaguar JLR 03.5003

COD: 20302

XTA
SAE 5W-30

PERFORMANCE LEVEL

ACEA A3/B4, API SP, MB 229.3 / 229.5 / 226.5
BMW LL-01, Renault RN0700 / RN0710

COD: 20310

XTA C3-C4
SAE 5W-30

PERFORMANCE LEVEL

ACEA C3, C4
Renault RN0720, MB 229.31 / 229.51 / 226.51

COD: 20304

XTA
SAE 5W-40

PERFORMANCE LEVEL

ACEA A3/B4, API SN / CF, MB 229.3 / 226.5
VW 502.00 / 505.00, Porsche A40
Renault RN0700 / RN0710
PSA B71 2296

COD: 20389

XTA C3
SAE 5W-40

PERFORMANCE LEVEL

ACEA C3, API SN / CF, MB 229.31 / 229.51 / 226.5
VW 505.00 / 505.01, Ford WSS-M2C 917-A
Renault RN0700 / RN0710, GM Dexos 2
Opel DV 040 1547 D40

COD: 20305

XTA
SAE 10W-40

PERFORMANCE LEVEL

ACEA A3/B4, API SN / CF, MB 229.3
VW 502.00 / 505.00
Renault RN0700 / RN0710, PSA B71 2300

COD: 20446

XTA
SAE 20W-50

PERFORMANCE LEVEL

ACEA A3/B4, API SN/CF
MB 229.1, VW 501.01 / 505.00



BARDAHL.IT



BARDAHL ITALIA



@BARDAHLITALIA



Maroil srl - BARDAHL ITALIA

MAROIL
ECCELLENZA. SEMPRE.



PRODOTTO
E DISTRIBUITO
DA MAROIL S.R.L.



Località Ponte alla Ciliegia
ALTOPASCIO (LU) ITALIA

CAP
55011

Tel
+39 0583 28731

**LICENSEE OF BARDAHL
MANUFACTURING
CORP.**

SEATTLE,
WASHINGTON
98107 - USA

